

Customer Name.

Instrument Serial Number:

Sales Order No.

Configuration Performed By:

Date:

Model 20 Q (31091) Configuration Setup Sheet

*** = Not Visible in Default Configuration

Run Time Group 1 table with columns: Upper, Lower, Default, Changes. Rows include Gr.1 SP, SP2, SP3, SP4.

Run Time Group 3 table with columns: Upper, Lower, Default, Changes. Rows include Gr.3 n.rSt, AL1, bA1.L, bA1.h, AL2, bA2.L, bA2.h, AL3, bA3.L, bA3.h, AL4, bA4.L, bA4.h, A.L.Fd, A.H.Fd, HSA1, HSA2, HSA3, HSA4.

Run Time Group 4 table with columns: Upper, Lower, Default, Changes. Rows include Gr.4 Pb, HYS, ti, td, IP, r.Gn, OLAP, Cn.Ac.

Run Time Group 5 table with columns: Upper, Lower, Default, Changes. Rows include Gr.5 ArW, Sn.tt, Sn.db, n.OLL, n.OLH, n.mP, nC.CY, S.OLL, S.OLH, S.mP, SC.CY, rL, rH, Grd1, Grd2, tOL, E.An, E.Lr, E.rd.

Run Time Group 6 table with columns: Upper, Lower, Default, Changes. Rows include Gr.6 A1.tP, A1.Cn, A1.Ac, A1.St, A2.tP, A2.Cn, A2.Ac, A2.St, A3.tP, A3.Cn, A3.Ac, A3.St, A4.tP, A4.Cn, A4.Ac, A4.St, Fd.Cn, Fd.Ac.

Run Time Group 7 table with columns: Upper, Lower, Default, Changes. Rows include GR.7 S.L.Pr, S.L.Ad, S.L.bd, S.L.bf.

Run Time Group Gr.dF table with columns: Upper, Lower, Default, Changes. Includes text: The default data is the reset of run time settings. After the default data loading of this group, it is necessary to perform a setup confirmation.

Run Time Group Hd table with columns: Upper, Lower, Default, Changes. Rows include Gr.Hd Pb.Lo, Pb.Hi, ti.Lo, ti.Hi, rG.CL.

Configuration Group 1 table with columns: Upper, Lower, Default, Changes. Rows include CnF.1 Ln.Fr, n.In.t, n.In.d, n.In.S, n.In.L, n.In.H, OFSt, dS.FL, A.In.F, A.In.t, A.In.L, A.In.H, A.I.FL, A.I.An, A.I.Sc, L.r.O.n.

Configuration Group 2 table with columns: Upper, Lower, Default, Changes. Rows include CnF.2 O1.Fn, O2.Fn, O3.Fn, O4.Fn, Sn.tP, FEEd, O5.Fn, O5.m, O5.Lr, O5.Hr, O5.FL, O6.Fn, O6.m, O6.Lr, O6.Hr, O6.FL.

Configuration Group 3 table with columns: Upper, Lower, Default, Changes. Rows include CnF.3 SPLt, nC.Gn, nC.bS, SC.Gn, SC.bS, nC.Cn, n.SCL, nC.dP, nC.E.L, nC.E.H, nC.A.C, SC.Cn, S.SCL, SC.dP, SC.E.L, SC.E.H, SC.A.C.

Configuration Group 4 table with columns: Upper, Lower, Default, Changes. Rows include CnF.4 Sn.Fn, Cn.tP, nAn.F, An.UL, n.A.t.t, St.Fn, SF.Cn, SF.UL.

Configuration Group 5 table with columns: Upper, Lower, Default, Changes. Rows include CnF.5 d1.Fn, d1.St, d2.Fn, d2.St, d3.Fn, d3.St, E1.Fn, E1.St, E2.Fn, E2.St, E3.Fn, E3.St, E4.Fn, E4.St.

Configuration Group 6 table with columns: Upper, Lower, Default, Changes. Rows include CnF.6 G.brG, O.brG, brG.L, brG.H, brG.d, SP.AL, SP.dS, Sr.bH, SS.tH, t.out, Fd.Fn, Fd.HS, Fd.Ou.

This is a controlled document but it is not guaranteed to be the current version. It is the user's responsibility to verify that the revision level of this document matches the revision level stored electronically in the Quality System. This document was created with Excel 2000. Formatting will be altered if not opened with Excel 2000. This document may contain propriety information, intellectual property, names and logos which may be confidential. Reproducing or transmitting this document in any format, in part or whole is prohibited without the permission of Super Systems, Inc.